# Arc GIS Online— Data Collection ESRI Field Maps



Doug Kotnik

Precision Laser & Instrument, Inc

Eric Sauer, RLA

Five Rivers MetroParks

Tom Harner, GISP

**MVRPC** 








#### Agenda

- ► Introductions & ArcGIS Online Refresher (1:00 1:15)
- ► ArcGIS Field Maps (1:15 3:00)
  - Creating a Project Program
  - Create Feature Layers for Field Maps
  - Creating a Field Maps Map
  - Using Field Maps
  - Add on Accuracy
  - Analyze Data in ArcGIS Online
- Inspections in Field Maps


(3:10 - 4:30)

- ► Creating Inspection Tables
- Creating Tracking Layers


► Content page - where you can Create and Access your items




- Item page
- Opening
- Sharing





- ► In the map Table of contents
- Changing the Style of features





- ▶ In the map pop ups
- Configuring pop ups





#### Configure Attributes


Check the fields you want to display and edit. Select a field to change its alias, order it, and format it.

□ Display	☐ Edit	Field Name	Field Alias	
		{OBJECTID}	OBJECTID	^
		{GlobalID}	GlobalID	
		{ShapeArea}	ShapeArea	
		{ShapeLength}	ShapeLength	
		{CreationDate}	CreationDate	
		{Creator}	Creator	Ų



'Map Viewer Classic' or the 'Old Map Viewer'

#### **ArcGIS Online**



'Map Viewer' or the 'New' Map Viewer

#### **ArcGIS Online**



#### Field Maps for ArcGIS

- Replaces Collector, Quick Capture and Explorer
- ► Field Maps for ArcGIS is a mobile data collection app that makes it easy to examine, capture and update accurate data and return it to the office
  - ArcGIS Online Based
  - Points
  - Lines
  - Polygons
  - Photos
  - Requires ArcGIS Online Account




#### Establish the Program

- What type of data needs to be collected
  - Points
  - Lines
  - Polygons
- What specific data for each data point is required
  - Date/ time collected/ user
  - Identifiers (Owner, name, ID Number), size, type, age, material, condition
  - Photo
  - Standardization of entries (drop down menus) / Mandatory entries
- What is the accuracy requirement for the data
  - ► How precise does data need to be
    - ▶ 2 CM underground utilities, water valves, endangered plants
    - Sub meter fire hydrants, light poles, signs, trails, large trees
    - > 3-10 meter parking lot, picnic shelter


- Sign Into ArcGIS Online-
  - Search for ArcGIS Online

or


www.arcgis.com




- User Home Page
  - ► Click on Content




- Create a new project folder
  - Click the new folder button
  - Easy location for Feature Layers




- Name the new folder
  - Field Maps Training
  - Press Ok to create the folder



- Create a Feature Layer
  - Press New item button
  - Select from:
    - Templates
      - Pre-built
    - Existing Layers
      - ► Re-use layers from other projects
    - Search Web
- Select Feature Layer
  - Select Define Your Own Layer
  - Click Next



- Create a Feature Layer
  - Name the Layer
  - Select Layer Type
    - ▶ Point
    - Line
    - Polygon
- Add GPS metadata fields toggle
  - Slide the toggle if desired to collect GPS Data
    - Accuracy
    - Receiver information
    - ▶ Date/ Time
    - Coordinates
    - ► Leave the toggle alone for this exercise
- Click Next




- Specify Title, Tags, Summary and Folder
  - Create a title
    - ▶ Object Name that shows in Field Maps
    - Be descriptive
    - ► Parking Lot Light Poles
  - Select Save in Folder location
    - Defaults to active folder
  - ► Add desired tags
    - ► Light Poles
  - ► Enter a Summary
    - ► Existing Light Poles in the Parking Lot




Click Save


- ► Feature Layer Information
  - Overview
    - General Info about Feature Layer
  - Data
    - ► Input Fields
    - ▶ See developed program
  - Visualization
    - Will eventually show data
  - Usage
    - Collected points data
  - Setting
  - How the Feature Layer Acts



- Feature Layer Information
  - Data
    - Click Data Tab
    - Click Fields button
    - Shows all data points to be collected for each point
    - Defaults should not be changed
  - Add Data Field
    - ► Click + Add button




- Add Field
  - ► Field Name
    - Pole\_Height
  - Display Name
    - ▶ Pole Height
  - Type
    - ▶ Leave as string
  - Length
    - Maximum number of characters
    - ▶ Set at 25
  - Default Value
    - ► Leave Blank
  - Allow Null Values
    - Leave Checked




Click Add New Field Button


- Add Data Field
  - ► Click + Add button




- Add Field
  - ▶ Complete Fields
  - ► Field Name
    - Pole Type
  - Display Name
    - Pole Type
  - Type
    - ► Leave as string
  - Length
    - ► Maximum number of characters
    - ► Set at 25
  - Default Value
    - ► Leave Blank
  - Allow Null Values
    - Leave Checked
  - Click Add New Field Button




- Modify or Define Field
  - Scroll down to find Field Name
    - Pole Type
    - ► Click Pole-Type Field Name




- Modify or Define Field
  - Click Edit to Re-define Field Settings
    - ▶ Define Description if desired
    - ▶ Define Field Type Value if desired
      - Descriptor type based on common characteristic
  - Click Create List
    - Create a standardized drop down menu




- Modify or Define Field
  - Create a Standardized drop down menu
  - Add Values. Click grey +Add button after each
    - ► Aluminum / Alum
    - ► Concrete / Conc
    - Steel / Stl
    - ► Wood / Wd
    - Code can be text or a code number
  - ► Click Save when Complete
    - Can modify later




- Modify or Define Layer Settings
  - Click Settings
    - ► Set editing permissions
    - MAKE SURE TO ENABLE EDITING




- Modify or Define Layer Settings
  - Click Settings
    - Set editing permissions
    - ► May choose Delete Protection
    - MAKE SURE ENABLE EDITING IS CHECKED
    - Decide who is allowed to do what task
    - ▶ Decide who can see which features
    - Decide who has the right to edit which features
    - ► For this exercise, leave defaults




- Modify or Define Layer Settings
  - Click Overview
    - Can share the layer if desired
    - Not necessary unless others need the layer to make other maps
  - ► Click Open in Map Viewer
    - Open in Map Viewer Classic/ Classic with Full Editing
    - Ensure adding to a new map
    - Use drop down menu Add to New Map




- Finalizing the Map for Field Maps
  - Save the Map
    - ► Click the Save Button Select Save As
    - ► Title: Name the Map
    - ► Tags: Enter Desired Tags
    - Summary: Add a description of Map
    - Save in folder: Select desired folder
  - Establish Map Extents
  - Change the Basemap
    - ▶ Click Basemap
    - Select Imagery
  - Click Save




- Finalizing the Map for Field Maps
  - Add additional Layers
    - ► Click the Add button
    - ► Click Search for Layers
    - ► Click the Change My Content and select ArcGIS Online




- Finalizing the Map for Field Maps
  - ► Search for the Following Layers:
    - ► MVRPC Parking Lot Lines
      - ► Add the layer to the map
    - ► MVRPC Parking Lot Islands
      - ► Add the Layer to the Map




- Finalizing the Map for Field Maps
  - Set the Styles for each Layer
    - Click the Styles button on each layer
    - Select Options
    - Select Symbols
    - ▶ Change the symbol to a color and line width or point size/ style that will show well on the map
    - ► For the Parking Lot Islands' Layer change the transparency to 50% for the fill
    - Make sure to click OK and Done once the style has been updated



- Finalizing the Map for Field Maps
  - Save the Map
    - ► Click Save As
    - ► Call it MVRPC Field Map Training (
  - The Map is almost ready for Field Maps
  - Click Home-Content
  - Click on the Created Map to view the Overview page




- Finalizing the Map for Field Maps
  - Click Settings
    - ► Click the Delete Protection Box
    - Leave Enable Offline Mode turned on
    - Map Areas
      - ▶ Can be used to select specific parts of a larger map area to use in an offline situation. For example, selecting a park from a county wide plan to allow for faster and easier access to specific areas to use in Field Maps
    - Click Save at the bottom of the page
  - Click Overview at the top of the page
  - Share the Map if needed
    - ▶ If the map is only being used on your own account, no need to share the map






- Field Maps
  - Download Field Maps
    - ► IOS and Android
    - ► Tablet and Phone compatible
  - ► Log in Using your ArcGIS Online Account




野

- Field Maps
  - All editable maps in the account will appear automatically
  - Select the map just created in ArcGIS
     Online (The name you called your map)






- Field Maps
  - Map should look like the one created in ArcGIS Online
  - Basic Navigation
    - Return to Maps
    - Search
    - Map Features
      - Layers
      - Bookmarks
      - Basemap
      - Measure
    - Current Position Locator
    - ► Touch Screen Navagation




**57** 

- Field Maps
  - Normally, this is the time to go to the collection site to use the Field Maps features.
  - For this exercise, we are going to start creating features manually to learn how to use each feature type.
  - ► Click Create the new Feature Button (Big +)




57

- Field Maps
  - Create a new Point
    - ► Select New Feature under Parking Lot Light Poles






- Field Maps
  - Create a new Point
    - New Point Menu
    - Watch accuracy
    - ► Manual Entry of Points
    - Auto Location of Points
    - Scroll on the screen to select a new point location
    - Use Update Point






- Field Maps
  - Create a new Point
    - ▶ Fill in the form
      - ▶ Three Dots Menu (Undo)
      - Photo
      - Attach
      - Pole Height
        - ► Type in the height
      - Pole Type
        - ▶ Select material from menu
    - ▶ Once Form is complete Press Submit






- Field Maps
  - Editing Existing Points
    - ► Select an existing point
    - Edits
      - Data
      - Update point location
      - Copy
      - Delete
      - Collect here




**57** 

- Field Maps
  - Create a new Line
    - ► Click the Create a new feature button (large + on the map) to create a new feature
    - ► Select New Feature under Parking Lot Lines






- Field Maps
  - Create a new Line
    - ▶ New Line Menu
      - Watch accuracy
      - ▶ Line can be multi-segmented
      - Manual Entry of Points in the line
      - Auto Location of Points in the line
      - Use Update Point from the 3 dot menu to correct initial or selected points
    - ▶ Select first point on the line
      - By GPS location in the field
      - Manually by scrolling on the map
      - Can update first point- 3 dot menu-Update Selected Point






- Field Maps
  - Create a new Line
    - ► Select additional point(s) on the line
      - By GPS location in the field
      - Manually by scrolling on the map
      - Click Add Point at each desired location
      - ▶ 3- dot menu- Undo, Redo, Update, Delete






- Field Maps
  - Create a new Line
    - ▶ Fill in the form
      - Photo
      - Attach
      - Paint Color
        - Select from pop up menu
      - ▶ Paint Condition
        - Select material from menu
    - ▶ Once Form is complete Press Submit






- Field Maps
  - Create a new Line
    - ► Select an existing line
    - Completed Line
      - Edits
      - Data
      - ▶ Same options as a Point




ST.

- Field Maps
  - Create a new Polygon
    - ► Click the create a new feature button (large + on the map) to activate a new feature
    - Select New Feature under MVRPC Parking Lot Islands






- Field Maps
  - Create a new Polygon
    - ► New Polygon Menu
      - Watch accuracy
      - Polygon can be multi-segmented
      - Manual Entry of Points in the Polygon
      - Auto Location of Points in the Polygon
      - Use Update Point from the 3 dot menu to correct initial or selected points
    - ▶ Select first point on the line
      - By GPS location in the field
      - Manually by scrolling on the map






- Field Maps
  - Create a new Polygon
    - ► Select additional points on the Polygon
      - By GPS location in the field
      - Manually by scrolling on the map
      - Click Add Point at each desired location






- Field Maps
  - Create a new Polygon
    - ▶ Fill in the form
      - Photo
      - Attach
    - ▶ Once Form is complete Press Submit






- Field Maps
  - Create a new Polygon
    - ► Select an existing Polygon
    - ► Completed Polygon
      - Edits
      - Data
      - Similar edits as point and line

► Click Maps to return to main screen






- Field Maps
  - Create new Lines or Polygons using Streaming
    - ► Field Maps Settings
      - ► Click setting menu
      - ► Click Streaming
        - ▶ Set by time or distance






- Field Maps
  - Create new Lines or Polygons using Streaming
    - ▶ One feature at a time while active
    - Allow GPS location to set on point of beginning
    - ► Click the 3 dot menu
    - ► Click Start Streaming
    - ► Walk along desired trace path






- Field Maps
  - Create new Lines or Polygons using Streaming
    - Once back at the point of beginning for polygons or end point for lines, press stop streaming
    - ► Complete any menu input
    - Press submit
    - Can edit features





- Field Maps
  - Field Work
    - Using External GPS Devices
      - Improve Accuracy
      - Multiple devices on same signal
    - Connecting
    - Click <Maps</p>
    - ► Click the Setting Icon
    - ► Click Streaming
      - ▶ Distance or Time Click Distance
      - ► Click < Profile to return to menu
    - Click Provider
      - Integrated
      - External Device





Add On External Equipment




- ► Go Out and Collect!
- ► Click on the Collect Map File to get started!
- ▶ Try collecting points first Get comfortable with the App
- ► Lines and Polygons are similar- Try if you like



- Welcome Back!
- ► Any Issues with collecting or creating data?
- Questions?




- Field Maps Data in ArcGIS Online
  - ArcGIS Online
    - ▶ Log back into Online account
    - ▶ Navigate to My Content
    - Navigate to the Folder created for this training class
    - ► Click on the Parking Lot Light Poles File
    - Screen opens to Overview
      - Data can be shared
      - Data can be exported






- Field Maps Data in ArcGIS Online
  - ArcGIS Online
    - ► Click Data tab
      - Shows each collected feature
    - ► Click Visualization tab
      - Shows each feature on map




- Search ArcGIS Online for 'Parking lot lightpole Inspections' and click 'Export'. Choose to a FGDB.
- ▶ Go to the new FGDB's Content page, and click 'Publish'. This creates your own Hosted Feature Layer


- (Optional) Open ArcGIS Pro
  - Create a new Map
  - Add Layer with data to be inspected from ArcGIS Online
    - Add the Parking Lot Light poles Layer
  - Export the Layer
    - ► Layer must be in the Project Geodatabase
    - Right click the layer name and select Data and Export Features
    - Complete Fields and click OK




- Open ArcGIS Pro
  - Ensure layer has a Global ID Field
    - ▶ Open the Attribute Table and ensure GlobalID Field is present
    - ▶ If it is not:
      - Right click layer in Catalog with Geodatabase
      - Select Manage
      - Add Global ID's




- Create the Inspection Table
  - Right Click on the Geodatabase title
    - Click New
    - Click New Table




- Create the Inspection Table
  - Define the Table
    - Click New
    - Click New Table
    - ► Type a Name (NO SPACES!!!)
    - Click Next
    - Add Fields (Will not allow Spaces)
    - Select Data Type
      - Add GlobalID Field (Global ID Data Type)
      - Add GUID Field (GUID Data Type)
    - Click Next
    - ► Leave Configuration Keyword as Default
    - Click Next







- Create a Relationship Class
  - Create the Relationship Class
    - Right click on the Geodatabase in Catalog
    - Click New
    - Click Relationship Class
    - ► This joins the feature layer to the inspection table




- Create a Relationship Class
  - Complete Fields
    - Origin Table- Select what is being inspected
    - Destination Table- Select the table that was created
    - Cardinality- One to Many- Allows multiple inspections for one element
    - Origin Primary Key- Global ID
    - Origin Foreign Key- GUID
    - Click Run
    - Results in two Squares in the Geodatabase




- Publish the layers to ArcGIS Online
  - ► Publish the Layer to Online Account
    - ▶ Make sure to be signed into account
    - Click Share Tab
    - Click Web Layer
    - Click Publish Web Layer




- Publish the layers to ArcGIS Online
  - Publish the Layer to Online Account
  - Complete the Share Map as a Web Layer Dialog Box
    - Add a Name
    - Add a Summary
    - Add Tags
    - Create a new Folder
    - ► Sharing can be done now or later
    - Click Publish



- Sign Into ArcGIS Online
  - Locate the Layer that was just published
  - ▶ Click on the Feature Layer to open the Layer's Window



- Ensure the Layer is editable!
  - Click on Settings



- Ensure the Layer is editable!
  - Click on Settings
  - Check the Editing Section
  - Once settings are set, click Overview to return to main page

#### Feature Layer (hosted) Enable editing Keep track of changes to the data (add, update, delete features). Manage change log Keep track of who edited the data (editor name, date and time). ✓ Enable Sync (required for offline use and collaboration). • Who can edit features? Share the layer to specific groups of people, the organization or publicly via the Share button on the Overview tab. This layer is currently shared with: Everyone (public) • What kind of editing is allowed? Add Delete Update Attributes only Attributes and geometry Manage geometry updates What features can editors see? Editors can see all features Editors can't see any features, even those they add What features can editors edit? Editors can edit all features


• What access do anonymous editors (not signed in) have?

The same as signed in editors


70

Edit the Data Fields for the Inspections


► Click on the Table Name




- Edit the Data Fields for the Inspections
  - Click the Enable Attachments Tab
    - ▶ This allows Photos to be added to the inspections
  - Click Data Tab




- Edit the Data Fields for the Inspections
  - Click the Fields Tab
  - Click Add Button



- Add Fields
  - Add an Inspection Date
    - ► Field Name cannot have spaces
    - ► Select Date in the Type Drop Down
    - Click Add New Field




- Modify Fields
  - Click on the Display Name to be modified
    - ► Create drop down selections where possible
    - ► Click Condition





Modify Fields

Click Create List




- Create Choices for Drop Down
  - Create Labels
  - Create Code (or copy label)
  - Options can be re-ordered here
  - Options can be modified here
  - Click Save when done









- Confirm Drop Down Choices and Order
  - Click Edit if needed to make changes
  - Click X to return to fields view



- Create a Comment Box
  - Click Add
  - Create Comments Field
    - ▶ Length is the number of characters allowed
    - Click Add New Field when complete




- Return to the Layer Screen
  - Click Arrow next to the table title




Open the layer in a new Map

Click Open in Map Viewer Classic from the Open in Map


Viewer Drop Down




- Zoom to see all the light poles
  - ▶ Click on one of the light poles to see point properties
    - ▶ Notice the pop up displays all info
    - ► Can be modified to only display needed info
  - Close the pop-up window
  - ► Click three dots to edit layer properties
  - Click Configure Pop Ups in menu




- Configure Pop Up Windows
  - Change the Pop-up Title
  - Click Display and select a custom attribute display
  - Click Configure




- Configure Pop Up Windows
  - Change the Pop-up Title
  - Click Display and select a custom attribute display
  - Click Configure
    - ► Type Pole Height (Highlight text and bold it)
    - ► Click the + and select the Pole Height Attribute
    - ► Type Pole Type Pole Type (Highlight text and bold it)
    - ► Click the + and select the Pole Height Attribute
  - Click OK




- Configure Pop Up Windows
  - Click OK




- Configure Pop Up Windows
  - ► Click on one of the light poles
    - Notice changes made to the pop-up window
  - Save the Map
    - ► Add map title, tags and summary







- Return to the Online Home Page
  - Click Home
  - ► Click Home from the Drop Down




- Open the Field Maps App
  - Click the Apps Button
  - Select Field Maps




- Open the Light pole Inspections Map
  - ► Click on the map icon




- Create the Inspection Form
  - Click Tables
  - Click on the table name
  - This opens the Form Dialog
  - Scroll down to Fields




- Create the Inspection Form
  - Drag Desired Inspection Fields to Dialog Box



- Create the Inspection Form
  - Edit the Inspection Form Name
    - ▶ Click on the title and edit if desired
  - ▶ Edit the Properties of each Field
    - ► Consider Required for the field
  - ► Click Save once edits are complete




- View and Create an Inspection
  - Open Field Maps on a mobile device
  - Locate the created inspection map and open it
  - Click on one of the data points in the map
  - In the Pop Up, there is now a related field which is the inspection form
  - Click the inspection form




- Inspection Reports
  - The First time an item is inspected, it will show no inspections
  - Once inspections have been done, old inspections can be accessed


▶ To create a new inspection, click Add




- Inspection Reports
  - The inspection title only shows how many inspections
  - Let's change this to show the inspection dates to make it more useful for someone in the field
  - Open the Field Maps App online
  - Click the Overview Tab
  - Click Open in Map Viewer




- Inspection Reports
  - Click Tables on the left
  - ► Click Pop ups on the right
  - Click the Down Arrow on Title




- Inspection Reports
  - Edit the Field to:
    - ► Inspection Date:
    - Click the Parentheses to the right
    - Select the Inspection Date Field



- Inspection Reports
  - Click Save on the left




- Inspection Reports
  - Go back to Field Maps on the mobile device
  - Click Maps to go back to the map list
  - ► Click the 3 dots next to the map title
  - Click Reload
    - Anytime changes are made, map must be reloaded
  - Click on the map




- Inspection Reports
  - Click on a feature to get to the pop up and select the inspection
  - Notice Light pole Inspections: 2 have changed to list the dates of the inspections!

▶ To create a new inspection, click Add




- Inspection Reports
  - Fill in the Fields in the inspection form
    - Anything that is a required field must be completed before Field Maps will allow the inspection report to be submitted
    - ► Can add a photo or upload a photo




- Inspection Reports
  - Adjustments can be made to the inspection report
    - Additional Fields
    - ► Additional drop-down responses
    - ► Required fields
  - Make adjustments in ArcGIS Online or the Online Field Maps APP


- Inspection Reports Tracking
  - Symbology can be set up to show which items have been inspected within a given period of time
  - ► Log back into ArcGIS Online and open the Inspection Map Viewer Classic
  - Click the Analysis Tab




- Inspection Reports Tracking
  - Under Summarize Data, click Join Features




- Inspection Reports Tracking
  - Choose target Layer
    - Select the Feature Layer
  - Choose Layer to join to target layer
    - ► Select the inspection table
  - Choose Fields to match
    - ▶ Global ID to GUID
  - Order by:
    - Inspection Date and Newest




- Inspection Reports Tracking
  - Create a Result Layer Name
  - Choose Folder to save the new Layer
  - Unclick Use Current Map Extent
  - Click Create results as a hosted feature layer view
  - Click Run Analysis



- Inspection Reports Tracking
  - Once back in the map, click the change style button on the new layer




- Inspection Reports Tracking
  - Under #1 Choose and Attribute to show
    - ► Select New Expression (at the bottom of the list)




- Inspection Reports Tracking
  - Create coding to show if lightpoles have been inspected in the last 30 days.
  - Update the Title
  - Delete existing code and replace
    - Select from Functions and Globals to create code or other options


    - ► This is an if then statement which states that if an inspection date is less than 30 days old, then show as inspected, if not show as Requires Inspection
    - Days can be minutes, hours, days, months, years and set for any period
  - Click Test then OK




- Inspection Reports Tracking
  - Notice Legend Defaults
  - Click Options to update symbology




- Inspection Reports Tracking
  - Notice Legend Defaults
  - Click Options to update symbology
    - ► Colors, size, symbols
  - Click Symbols to change to desired symbology to represent desired visual symbology
  - If using polygons for inspections, may consider adjusting transparency
  - Click OK when completed




- Inspection Reports Tracking
  - Adjust the Refresh Interval
    - Click the three dots by the layer
    - Select Refresh Interval
    - Select a time such as 0.5 for every 30 seconds
    - This will ensure the layer updates automatically when inspections are completed




- Inspection Reports Tracking
  - ► Check the Results on the map
    - Adjust the symbology as desired
  - Click Save



- Inspection Reports Tracking
  - Return to Field Maps on mobile device to also see results
    - May need to reload map to see updates
  - Add additional inspections and see the map update
  - Dashboards can also be made from this data to share with managers or public



- Inspection Reports Tracking
  - ▶ In Field Maps, when a point is selected, both the inspection layer and the inspection indicator layer will show.
  - Select the inspection point to see inspections or create new inspections



# Questions?

Doug Kotnik (dpk@laserinst.com)

Precision Laser & Instrument, Inc

Eric Sauer, RLA (Eric.Sauer@metroparks.org)

Five Rivers MetroParks

Tom Harner, GISP (tharner@mvrpc.org)

**MVRPC** 









